



CERTIFICATE

EC Certificate No. 1434-IVDD-438/2021

**EC Design-examination
Directive 98/79/EC concerning
in vitro diagnostic medical devices**

Polish Centre for Testing and Certification certifies
that manufactured by:

**Hangzhou AllTest Biotech Co., Ltd,
#550, Yin Hai Street Hangzhou Economic & Technological
Development Area, Hangzhou, 310018, P.R.China**

in vitro diagnostic medical devices
for self-testing

SARS-COV-2 Antigen Rapid Test (Nasal Swab)

The list of medical devices covered by this certificate is provided in the annex 1

in terms of design documentation, comply with requirements
of Annex III (Section 6) to Directive 98/79/EC (as amended)
implemented into Polish law,
as evidenced by the audit conducted by the PCBC

Validity of the Certificate: from 05.07.2021 to 27.05.2024

The date of issue of the Certificate: 05.07.2021

The date of the first issue of the Certificate: 05.07.2021



Issued under the Contract No. MD-34/2021
Application No: 048/2021
Certificate bears the qualified signature.
Warsaw, 05.07.2021
Module A1

Anna
Małgorzata
Wyroba
Vice-President

Elektronicznie
podpisany przez Anna
Małgorzata Wyroba
Data: 2021.07.05
20:01:31 +02'00'



ANNEX 1 TO THE CERTIFICATE

VALID ONLY WITH CERTIFICATE

No 1434-IVDD-438/2021

List of medical devices covered by the certificate:

Serial No.	Brand/Trademark	REF. No.	Product Name
1	ALLTEST	INCP-502H	SARS-CoV-2 Antigen Rapid Test (Nasal Swab)
2	Beright	INCP-502H	SARS-CoV-2 Antigen Rapid Test (Nasal Swab)
3	JusChek	INCP-502H	SARS-CoV-2 Antigen Rapid Test (Nasal Swab)
4	Lambra	INCP-502H	SARS-CoV-2 Antigen Rapid Test (Nasal Swab)
5	SCREEN CHECK TEST	INCP-502H	SARS-CoV-2 Antigen Rapid Test (Nasal Swab)
6	Rapid Response	INCP-502H	SARS-CoV-2 Antigen Rapid Test (Nasal Swab)
7	gruppo Si.Gi.	INCP-502H	SARS-CoV-2 Antigen Rapid Test (Nasal Swab)



Issued under the Contract No. **MD-34/2021**
Application No: **048/2021**
Certificate bears the qualified signature.
Warsaw, 05/07/2021

Anna
Małgorzata
Wyroba
Vice - President

Elektronicznie
podpisany przez Anna
Małgorzata Wyroba
Data: 2021.07.05
20:00:44 +02'00'